

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"20040165025".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L2	10	"1074894"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L3	2	"6408156".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L4	1	"5.0627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L5	30	"0.5331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L6	30	"0.5331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L7	1	(acceptance adj width) same (line adj width) and (writing adj density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L8	710	(maximum near3 misalignment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L9	1	(maximum near3 misalignment) and (line near2 width) and (acceptance near2 width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L10	55	(maximum near3 misalignment) and (line near2 width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32

L11	1	(acceptance adj width) same (line adj width) and (density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L12	0	resolution same (light adj receiving adj diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L13	4635	resolution same (optical same (detector detection sensor)) and alignment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L14	1061	(density resolution) same (optical same (detector detection sensor)) same alignment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:40
L15	651	(density resolution) same (optical same (detector detection sensor)) same alignment	USPAT	OR	ON	2006/01/10 11:32
L16	203	lexmark.as. and alignment	US-PGPUB; USPAT	OR	ON	2006/01/10 11:32
L17	16	lexmark.as. and alignment and patrick	US-PGPUB; USPAT	OR	ON	2006/01/10 11:32
L18	13977	(alignment same (detector detection sensor)) and aperture	US-PGPUB; USPAT	OR	ON	2006/01/10 11:32
L19	26	(alignment same (detector detection sensor)) and (aperture adj resolution)	US-PGPUB; USPAT	OR	ON	2006/01/10 11:32
L20	26	L19 not L17	US-PGPUB; USPAT	OR	ON	2006/01/10 11:32
L21	1	"20040165025".pn. and misalignment	US-PGPUB; USPAT	OR	ON	2006/01/10 11:32
L22	1	(acceptance adj width) same (line adj width) and (resolution density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L23	2110	(resolution) same (line adj width) and (density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32

L24	3	"5627649".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L25	651	(density resolution) same (optical same (detector detection sensor)) same alignment	USPAT	OR	ON	2006/01/10 11:53
L26	0	L25 and 347/19.clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L27	21	L25 and 347/19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L28	35	L25 and "347".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L29	1061	(density resolution) same (optical same (detector detection sensor)) same alignment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L30	55	L29 and "347".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L31	78	(light adj receiving adj diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L32	37483	(photodiode photoreceptor (photo adj detector)) and diameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L33	1123	(photodiode photoreceptor (photo adj detector)) and diameter and (line adj width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32

L34	24	((photodiode photoreceptor (photo adj detector)) same diameter) same (line adj width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L35	24	L34 not L31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L36	26	((("6665503") or ("6470161") or ("6415129") or ("6546219") or ("6505022") or ("6360065") or ("6519428") or ("6342910") or ("6249304") or ("5623330") or ("5761570") or ("5630195") or ("5384628") or ("5438401") or ("5659843") or ("5729353") or ("5627649") or ("6798996") or ("6771389") or ("6778797") or ("6788915") or ("6813463") or ("6782227") or ("20030083180") or ("6823149") or ("6901234"))).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/10 11:32
L37	1	L36 and alignment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:32
L40	2166	347/19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 11:35
L41	39	(density resolution) same (optical same (detector detection sensor)) same alignment and ("347" "346"). clas.	USPAT	OR	ON	2006/01/10 11:53